

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	(swaminathan near2 sivaprasath).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:02
2	BRS	L2	0	("71114066").URPN.	USPAT	2007/04/18 17:03
3	IS&R	L3	1	("6317798").PN.	USPAT	2007/04/18 17:12
4	BRS	L4	4	("6317798").URPN.	USPAT	2007/04/18 17:14
5	BRS	L5	0	4 and @pd>"20061107"	USPAT	2007/04/18 17:16
6	BRS	L6	29	((console with redirection) and (configuring configure configured configuration) and (compatible compatibility compatibly incompatible incompatibility incompatibly) and (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:16
7	BRS	L7	0	5 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:17
8	BRS	L8	4	6 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:27
9	BRS	L9	0	((console with redirection) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:26
10	BRS	L10	0	((headless) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:27
11	BRS	L11	5	((headless) with (configuring configure configured configuration)) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:27
12	BRS	L12	0	11 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:00
13	BRS	L13	3	((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:28

10/795,845

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	1	((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:28
15	BRS	L15	19	((console with redirection) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:28
16	BRS	L16	0	((headless) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:29
17	BRS	L17	11	((headless) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:29
18	BRS	L18	0	((console with redirection) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:29
19	BRS	L19	0	((headless) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:30
20	BRS	L20	0	((console with redirection)) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:30
21	BRS	L21	35	((headless) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:30
22	BRS	L22	0	((headless) with (configuring configure configured configuration)) and ((port channel) with (disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:30
23	BRS	L23	96	((headless) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
24	BRS	L24	5	((configuring configure configured configuration) and ((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (enable enabled enabling enablement disable disabled disabling disablement disconnect disconnected disconnecting disconnection) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:31
25	BRS	L25	0	((detect detecting detected detection) with (incompatible incompatibility incompatibly) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:31
26	BRS	L26	18	((detect detecting detected detection) with (incompatible incompatibility incompatibly) same (disable disabled disabling disablement disconnect disconnection disconnected disconnecting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:31
27	BRS	L27	11	(13 14 15 16 17 18 19 20 21 22 23 24 25 26) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:32
28	BRS	L28	19	((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:55
29	BRS	L29	116	((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel)) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:56
30	BRS	L30	102	((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:56
31	IS&R	L31	4436	(713/1,2,100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
32	IS&R	L32	4579	(710/8,10,15,16,18,19,104,106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
33	IS&R	L33	20254	(709/201,203,217-222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
34	IS&R	L34	1494	(703/23-25,27).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
35	IS&R	L35	4900	(375/219-222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
36	IS&R	L36	1830	(455/557).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
37	IS&R	L37	976	(370/278,282).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
38	BRS	L38	36859	L31 L32 L33 L34 L35 L36 L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 17:57
39	BRS	L39	14	(29 30) and 38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:00
40	BRS	L40	3	39 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:04
41	BRS	L41	2	28 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:08
42	BRS	L42	18	30 and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:07
43	BRS	L43	2	42 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:12
44	BRS	L44	1588	((compatible compatibility compatibly incompatible with incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:11
45	BRS	L45	170	38 and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:18

	Type	L #	Hits	Search Text	Dbs	Time Stamp
46	BRS	L46	7	45 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:18
47	BRS	L47	3387	(compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:18
48	BRS	L48	259	38 and 47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:18
49	BRS	L49	12	48 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:23
50	BRS	L50	5	("6560660").URPN.	USPAT	2007/04/18 18:22
51	BRS	L51	1	50 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:24
52	BRS	L52	162	((compatible compatibility compatibly) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) with (port channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:24
53	BRS	L53	8	52 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:32
54	BRS	L54	7	non-UART and ((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:28
55	BRS	L55	0	54 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:28
56	BRS	L56	0	non-UART with (mouse keyboard loopback) with connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:29
57	BRS	L57	0	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART with (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibly incompatibly non- compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
58	BRS	L58	1	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART same (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:30
59	BRS	L59	50	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:30
60	BRS	L60	50	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:31
61	BRS	L61	6	L60 and (UART with (register buffer (line near2 status) DTR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:31
62	BRS	L62	87	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:31
63	BRS	L63	4	(58 59 60 61 62) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:34
64	BRS	L64	17	non-UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:33
65	BRS	L65	1662	(UART with (register buffer (line near2 status) DTR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:33
66	BRS	L66	1339	(UART with (register buffer (line near2 status) DTR)) and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply configured configuring configuration configure)) improper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
67	BRS	L67	63	(64 65 66) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:49
68	BRS	L68	2	(UART with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:48
69	BRS	L69	38	(modem with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:48
70	BRS	L70	0	(68 69) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:50
71	BRS	L71	69	((incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply))) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:49
72	BRS	L72	6	71 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:55
73	BRS	L73	2	((port near3 (sharing share shared)) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:53
74	BRS	L74	4	((port near3 (sharing share shared)) same (incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:53
75	BRS	L75	35	(UART with (register buffer (line near2 status) DTR)) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:54

	Type	L #	Hits	Search Text	DBs	Time Stamp
76	BRS	L76	161	((incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant ("not" near5 (complied complying comply))) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:54
77	BRS	L77	13	(73 74 75 76) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:00
78	BRS	L78	3387	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device incompatibility incompatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:58
79	BRS	L79	1588	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 18:59
80	BRS	L80	259	(78 79) and 38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:00
81	BRS	L81	12	80 and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:01
82	BRS	L82	102	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:01
83	BRS	L83	19	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:01
84	BRS	L84	116	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel)) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:01
85	BRS	L85	23	(82 83 84) and @pd>"20061107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/04/18 19:02